

The Fly Did Not Push It In

A Force-Budget Analysis of Tommy Fleetwood's Birdie at Caves Valley, 2025

Christopher Gilmartin

Departments of Physics and Mathematics, New York University

TikTok: @christopher.mycle | May 2026

Abstract. The last round of the 2025 BMW Championship, played at Caves Valley Golf Club, saw Tommy Fleetwood make a 27-foot birdie putt on the par-4 second hole. The ball came to rest on the front lip of the cup, where it stayed for several seconds. A fly landed on the ball and walked across it. Then, after one second, the ball dropped into the cup. In this paper, we perform a quantitative force-budget analysis based on verified parameters: a TaylorMade TP5x golf ball at the USGA mass ceiling of 45.93 g, a housefly at approximately 15 mg, a bentgrass green at Stimpmeter 12.5, a back-to-front slope of roughly 1.5° , and the weather of August 17, 2025. The slope-tangent force pulls the ball toward the cup with 11.8 mN, while at most 20.3 mN of rolling resistance from the grass holds it, a margin of only 1.7 times. The fly's added weight is 0.147 mN, which is 0.033% of the ball's weight. A 5 mph wind applies eleven times more force on the ball than the fly does. The fly walking to the front of the ball shifts the center of mass of the system by at most 0.007 mm, or 1.7% of the 0.40 mm needed to tip the ball. The fly did not cause the ball to drop. The green did.




Figure 1: A side view of the metastable equilibrium at hole 2. The ball is resting on the front lip of the cup, with a fly on its upper hemisphere. The center of mass (red dot) of the system is located at a point within 0.007 mm from its position with the fly absent.

1 The Question

On Sunday, August 17, 2025, Tommy Fleetwood faced a 27-foot birdie putt on the par-4 second hole at Caves Valley Golf Club, Owings Mills, Maryland. He rolled it on line. The ball rolled down the slope and stopped at the front lip of the cup.

It did not drop.

For several seconds, the ball was perched on the front lip, partly on the green and partly over the hole. A fly landed on the ball and crawled around its upper surface. Roughly one second later, the ball dropped into the hole.

The clip went viral. The popular explanation, repeated by sports outlets and social media, was clear: the fly knocked the ball into the hole. CBS showed the video in slow motion. The stroke was

worth a birdie. This paper provides the mechanics behind the phenomenon to show why the popular explanation is wrong and why the correct answer is far more interesting.

2 The Players

2.1 The Ball

Fleetwood uses the TaylorMade TP5x golf ball [1, 2]. The mass of a regulation golf ball cannot exceed 45.93 g, and the diameter must be no less than 42.67 mm, according to the USGA Equipment Rules [3]. Independent laboratory testing [4] shows TP5x masses clustering around the USGA mass ceiling, consistent with the engineering practice of maximizing the momentum retention by making Tour balls as heavy as the rules allow. We adopt $m_{\text{ball}} = 45.93e-3$ kg and $r_{\text{ball}} = 21.34e-3$ m as the characteristic values.

2.2 The Bug

All broadcast footage identified the insect as a fly. Broadcast resolution prevents species-level identification, so we use the following range of estimates: a biting midge at the low end (approximately 1 mg), a housefly (*Musca domestica*) as a central estimate (approximately 15 mg), and a small blowfly at the high end (approximately 30 mg). All the calculations below use $m_{\text{fly}} = 15e-6$ kg. The result is unaffected across the whole range. The ball-to-fly mass ratio is then:

$$\frac{m_{\text{ball}}}{m_{\text{fly}}} = \frac{45.93 \times 10^{-3}}{15 \times 10^{-6}} \approx 3,062. \quad (1)$$

For visualization: scaling the fly up to the mass of a Labrador retriever (approximately 30 kg) brings the ball's mass to approximately 92,000 kg, or fifteen adult African elephants.

2.3 The Course and the Green

Caves Valley Golf Club underwent a hundred-day renovation [5] in preparation for the 2025 BMW Championship. Hole 2 plays as a par-4 of approximately 525 yards for the championship, with a 200-yard uphill approach shot to an elevated green sloping back-to-front and left-to-right [6, 7]. The green consists of heat-resistant bentgrass chosen during the renovation. Greens ran at a Stimpmeter reading of 12.5 [8], the same as in 2021. The Stimpmeter measures rolling friction by releasing a ball at a known velocity (approximately 1.83 m/s) and measuring the distance it travels on a level surface; the coefficient of rolling friction comes out to:

$$\mu_r = \frac{v_0^2}{2gd} = \frac{(1.83)^2}{2 \cdot 9.81 \cdot 3.81} \approx 0.045. \quad (2)$$

This is rolling resistance, and it is the right number for a ball at rest. A ball on a slope does not slide, it rolls, so sliding friction is not what keeps it still. What keeps it still is the grass it sits in: the ball settles into a small depression in the canopy and has to climb out of it to start rolling. On a slope of angle θ the ball stays put as long as $\tan \theta \leq \mu_r$. The Stimpmeter value is measured on a moving ball, so a ball that has settled may resist a little more; 0.045 is the conservative figure.

2.4 The Weather

The high and low temperatures recorded at BWI airport on August 17, 2025, were 86 °F and 75 °F, respectively, with light southwesterly winds [9]. At the time of Fleetwood's putt (early afternoon of the last round), we adopt $T = 26.7^\circ\text{C}$, $\text{RH} = 70\%$, and a surface wind of 2.24 m/s (5 mph). Moist-air density at 500 ft of elevation, accounting for the partial pressure of water vapor, is approximately 1.145 kg/m³, slightly lower than the standard dry-air value of 1.225 kg/m³.

3 The Force Budget on the Lip




Figure 2: Force diagram of the ball at rest on the lip, all vectors emanating from the center of mass. Gravity acts vertically; its component tangent to the slope drives the ball toward the hole; rolling resistance from the grass canopy opposes the slope force. Slope angle exaggerated for clarity.

3.1 Gravity, slope, and the grass

The gravitational force on the ball is $F_g = m_{\text{ball}} \cdot g = 450.57 \text{ mN}$. Its tangential component along a 1.5° slope in the direction of the hole is:

$$F_{\text{slope}} = m_{\text{ball}} \cdot g \cdot \sin \theta \approx 11.8 \text{ mN}. \quad (3)$$

The slope is actually doing some work to pull the ball into the hole, even at rest. The most the grass can hold back is:

$$F_{\text{hold}}^{\text{max}} = \mu_r \cdot m_{\text{ball}} \cdot g \cdot \cos \theta \approx 20.3 \text{ mN}. \quad (4)$$

The margin is $F_{\text{hold}}^{\text{max}} / F_{\text{slope}} = \mu_r / \tan \theta \approx 1.7$. The ball is held, but only just.

3.2 Fly

We consider three modes of action by the fly: the added weight, the impact of landing, and the tangential force generated by crawling.

Added weight. While on the ball, the fly contributes its own weight:

$$W_{\text{fly}} = m_{\text{fly}} \cdot g \approx 0.147 \text{ mN}, \quad (5)$$

which is 0.033% of the ball's weight. If the fly crawls to the front of the ball, as far toward the hole as it can get, the center of mass of the system shifts forward by at most:

$$\Delta x_{\text{CoM}} = \frac{m_{\text{fly}}}{m_{\text{ball}} + m_{\text{fly}}} \cdot r_{\text{ball}} \approx 0.007 \text{ mm}. \quad (6)$$

How far would the center of mass have to move to tip the ball? The grass can push back from at most $\mu_r \cdot r_{\text{ball}}$ ahead of the ball's lowest point, and the slope has already used $r_{\text{ball}} \sin \theta$ of that, which leaves

$$\Delta x_{\text{crit}} \approx r_{\text{ball}} (\mu_r - \tan \theta) \approx 0.40 \text{ mm}. \quad (7)$$

Walking to the front of the ball, the fly uses up 1.7% of that. This is the central quantitative claim of this paper.

Landing impact. Houseflies cruise at approximately 2 m/s. Deceleration over the impact timescale of 10 ms yields an average force of:

$$F_{\text{land}} = \frac{m_{\text{fly}} \cdot v_{\text{fly}}}{\Delta t} \approx 3.0 \text{ mN}, \quad (8)$$

which is 0.67% of the ball's weight. This is the largest single contribution from the fly, but it lasts about a hundredth of a second and points mostly into the ball rather than along the slope. And the ball did not drop when the fly landed. It dropped about a second later.

Tangential drag. A housefly pulls tangentially with half its weight, which translates to $F_{\text{crawl}} \approx 0.07 \text{ mN}$. Negligible compared to anything else in the budget.

3.3 Wind, for comparison

Drag force on a sphere of radius r moving at relative velocity v through air of density ρ is $F_d = \frac{1}{2}\rho v^2 C_d A$, with $C_d \approx 0.4$ for a sphere at the relevant Reynolds number and $A = \pi r^2$. For a steady 5 mph wind:

$$F_{\text{wind}} = \frac{1}{2}(1.145)(2.24)^2(0.4)\pi(21.34 \times 10^{-3})^2 \approx 1.64 \text{ mN}, \quad (9)$$

which is eleven times stronger than the fly's steady force.

3.4 Summary, drawn to scale




Figure 3: The total force budget, to scale. Green keeps the ball in place. Red is trying to move it. Orange is the wind. Grey is the fly. The fly force is dwarfed by the wind, which is dwarfed by the slope, which the grass holds back with a margin of only 1.7.

4 Metastable Equilibrium

The ball is held in place, but with a thin margin. This is the hallmark of a metastable system: stable against small perturbations only as long as the holding forces remain what they are now. Three slowly changing processes reduce the holding forces.

Grass-blade creep. Bentgrass maintained at the tournament height (approximately 2.5 mm) supports the ball weight through elastic deformation of a few blades. Under a sustained load, these blades exhibit viscoelastic creep. The ball sinks into the canopy for approximately 10 to 15 seconds, redistributing the load and decreasing the effective contact area with the lip edge. The depression the ball sits in gets shallower, so the rolling resistance holding it is not constant: it decreases over time.

Wind variability. “Light” summer winds are 3 m/s to 4.5 m/s gusts above the base wind of 2 m/s. Drag force scales as v^2 , so doubling the wind speed to 4.5 m/s (approximately 10 mph) results in 6.6 mN. The grass only has 8.5 mN to spare beyond the slope, so one gust like that uses up three quarters of the reserve.

Moisture variations. The ball at rest on the canopy is held in place, in part, by surface tension between the grass blades due to capillary effects. The canopy’s surface moisture content varies throughout the day, affecting the surface-tension contribution to the holding force.

None of these processes is large in itself, but they are large in the sense that they erode the margin holding the ball. The ball is, in essence, in a slow race against the grass.




Figure 4: Schematic of the grass giving way. Slope force (red, dashed line) remains constant. The grass’s holding force (green) decreases with time as the blades creep and surface moisture varies. The ball tips when the holding force falls to the slope force. The tipping point is set by the slowly varying factors, not whatever perturbation happens to be around at the time.

5 The Verdict

The popular interpretation that “the fly knocked the ball in” is mechanically false. With a mass ratio of 3,062 to 1, the fly could not possibly apply a large enough force to move the ball against the grass. The steady force of a 5 mph wind on the ball is eleven times larger than the fly force. Slope-tangent force is eighty times larger than the fly force, and the ball feels it every second until the tipping point. Even the fly’s crawling grip, about 0.07 mN along the surface at most, is under 1% of the slope’s steady pull.

The right interpretation is that the ball was losing the battle with gravity. Slope force is pushing the ball into the hole. The grass is holding the ball against the component of the gravitational force parallel to the slope, but only by a small margin. The ball will eventually tip over, and likely within the ten-second window provided for such events by the rules. The fly happened to be on the ball at the moment the grass gave up.

The fly did not push the ball in. The green did.

The Rules of Golf define the overhanging ball in Rule 13.3a [10]: if any part of a ball hangs over the lip of a hole, the player is granted a reasonable time to reach the hole and an additional ten seconds for the ball to drop on its own. Balls hanging over the lip and dropping some time afterward happen frequently enough in elite golf to warrant such a rule. The existence of the rule itself proves our case: if balls over the lip never fell on their own, there would be no need for ten seconds of grace.

Appendix: Numerical Summary

Quantity	Symbol	Value
Ball mass (TP5x, USGA ceiling)	m_{ball}	45.93 g
Ball radius	r_{ball}	21.34 mm
Fly mass (housefly, central)	m_{fly}	15 mg
Ball:fly mass ratio		3,062 : 1
Slope angle, hole 2	θ	1.5°
Stimpmeter	d	12.5 ft
Rolling friction coefficient	μ_r	0.045
Air density (moist, 500 ft elev)	ρ_{air}	1.145 kg/m ³
Ball weight	F_g	450.6 mN
Slope tangent force	F_{slope}	11.8 mN
Most the grass can hold	$F_{\text{hold}}^{\text{max}}$	20.3 mN
Safety margin		$\approx 1.7\times$
Fly added weight	W_{fly}	0.147 mN
Fly landing impact	F_{land}	3.0 mN (momentary)
5 mph wind drag	F_{wind}	1.64 mN
10 mph gust drag		6.6 mN
CoM shift critical to tip	Δx_{crit}	0.40 mm
CoM shift from fly at top	Δx_{CoM}	0.007 mm

Reproducibility: all numbers presented here can be reproduced from the input constants by a short Python script attached to this paper.

References

- [1] TaylorMade Golf. *TP5x Tour Validation*. taylormadegolf.com, accessed May 2026.
- [2] Today’s Golfer. *What’s In The Bag: Tommy Fleetwood, May 2026 Update*. today’s-golfer.com.
- [3] United States Golf Association. *Equipment Rules*, 2023 edition.
- [4] MyGolfSpy Ball Lab. *TaylorMade TP5x Ball Review*. mygolfspy.com/labs.
- [5] PGA Tour. *Inside the extensive renovation at Caves Valley*. August 12, 2025.
- [6] Caves Valley Golf Club. *2025 BMW Championship*. cavesvalley.net.
- [7] All Golf Holes. *Caves Valley Golf Club: Scorecard and Hole-by-Hole Guide*.
- [8] Betsperts Golf. *2025 BMW Championship at Caves Valley GC, Preview*.
- [9] Sportskeeda. *2025 BMW Championship R4 Weather Forecast*. August 17, 2025.
- [10] R&A and USGA. *Rules of Golf 2023*, Rule 13.3a (Ball Overhanging Hole).